


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented): A compound of formula I



in which

- R¹ is H, =O, COOR³, OH, OA, NH₂, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N₃, ethynyl, vinyl, allyloxy, -OCOR³, NHCOA or NHSO₂A,
 R² is H, =O, OH, OA or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms,
 R¹ and R² together can also be a spirocyclically bonded 3- to 6-membered carbocyclic ring,
 R³ is H or A,



- is pyrrolidine-1,2-diyl, piperidine-1,2-diyl, oxazolidine-3,4- or 3,5-diyl, thiazolidine-3,4-diyl, 2,5-dihydro-1*H*-pyrrole-1,5-diyl, 1,3-dioxolane-4,5-diyl, 1,3-oxazinane-3,4-diyl, piperazine-1,4-diyl, tetrahydrofuran-3,4-diyl or azetidine-1,2-diyl,
 D is phenyl, pyridyl or thienyl, which in each case is monosubstituted or disubstituted by Hal,
 G is (CH₂)_n or (CH₂)_nNH-,
 X is CONH,
 Y is 1,3- or 1,4-phenylene which is unsubstituted or monosubstituted or disubstituted by methyl, trifluoromethyl, ethyl, propyl, Cl or F,
 T is morpholin-4-yl which is monosubstituted or disubstituted by carbonyl

oxygen,

A is unbranched or branched alkyl having 1-10 carbon atoms and in which 1-7 H atoms are each optionally replaced by F,

Hal is F, Cl, Br or I, and

n is 0, 1 or 2;

or a pharmaceutically usable salt, or stereoisomer thereof, including mixtures thereof in all ratios.

2. (Cancelled):

3. (Cancelled):

4. (Cancelled):

5. (Cancelled):

6. (Cancelled):

7. (Cancelled):

8. (Cancelled):

9. (Cancelled):

10. (Cancelled):

11. (Cancelled):

12. (Cancelled):

13. (Cancelled):

14. (Cancelled);

15. (Cancelled);

16. (Cancelled);

17. (Cancelled);

18. (Cancelled);

19. (Cancelled);

20. (Cancelled);

21. (Cancelled);

22. (Cancelled);

23. (Previously Presented): A compound according to Claim 1, wherein said compound is selected from:

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-trifluoromethyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-piperidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-chloro-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5R)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(S)-1,1-dioxo-1λ⁶-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-1,1-dioxo-1λ⁶-thiazolidine-3,4-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-

carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(5-chloropyridin-2-yl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-propoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl isobutyrate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl propionate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl acetate,

4-N-[(4-chlorophenyl)]-5-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1,3-dioxolane-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-1,3-dioxolane-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1-BOC-piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-1,3-oxazinan-3,4-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,

6-N-[(4-chlorophenyl)]-7-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-4-oxa-6-azaspiro[2.4]heptane-6,7-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-butylsulfonaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-4-oxopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(S)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[2-(4-chlorophenyl)acetyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(4-chlorobenzoyl)-4-hydroxypyrrolidine-2-carboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-(2-methylpropanoylamino)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,

2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(S)-pyrrolidine-1,2-dicarboxamide,

N-(4-chlorophenyl)-(R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(S)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2R,4R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2R,4S)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,

N-(4-chlorophenyl)-(2S,4R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(but-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-hydroxy-3-pyrrolidin-1-ylpropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(2-oxooxazolidin-5-ylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(3-amino-2-hydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2S,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2S,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-carboxy-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,3S,4R)-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(methoxycarbonylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(carboxymethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-bromophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-aminocarbonyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxy-2-methylpyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-3-N-{{[4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide,

1-N-[(4-chlorophenyl)]-3-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-methoxyethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[2-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

and pharmaceutically usable salts and stereoisomers thereof, including mixtures thereof in all ratios.


24. (Cancelled):

25. (Cancelled):

26. (Previously Presented): A process for the preparation of compounds according to claim 1, said process comprising

a) for the preparation of compounds of the formula I in which W is N and G is NH,

a compound of formula II



in which

R^1 , R^2 , E, X, Y and T are as defined in Claim 1, and W is N,

is reacted with a compound of formula III




in which

D is as defined in Claim 1,

or

b) for the preparation of compounds of formula I in which W is N,

a compound of formula II



in which

R^1 , R^2 , E, X, Y and T are as defined in Claim 1, and W is N,

is reacted with a compound of formula VI



in which

D and G are as defined in Claim 1, and L is Cl, Br, I or a free or reactively functionally modified OH group,

and/or

a base or acid of the formula I is converted into one of its salts.

27. (Cancelled):

28. (Cancelled):

29. (Previously Presented): A medicament composition comprising at least one compound according to claim 1 and one or more excipients and/or adjuvants.

30. (Previously Presented): A medicament composition comprising at least one compound according to claim 1 and at least one further medicament active ingredient.

31. (Cancelled):

32. (Previously Presented): A kit comprising separate packs of:

(a) an effective amount of a compound according to claim 1,

and

(b) an effective amount of a further medicament active ingredient.

33. (Cancelled):

34. (Cancelled):

35. (Cancelled):

36. (Cancelled):

37. (Cancelled):

38. (Cancelled):

39. (Cancelled):

40. (Previously Presented): A medicament composition according to Claim 30, wherein said at least one compound is 1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide and/or a pharmaceutically usable salt or stereoisomer thereof, including mixtures thereof in all ratios, and said at least one further medicament active ingredient is aspirin.

41. (Cancelled):

42. (Previously Presented): A compound according to claim 1, wherein



is pyrrolidine-1,2-diyl,

G is -NH-, and

X is CONH.

43. (Previously Presented): A compound according to claim 1, wherein R¹ is H, =O, COOA, OH, OA, NH₂, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N₃, ethynyl, vinyl, allyloxy, methylcarbonyloxy, acetamino, or methylsulfonylamino.

44. (Previously Presented): A compound according to claim 1, wherein R² is H, =O, OH, methoxy, or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms.

45. (Previously Presented): A compound according to claim 1, wherein R³ is H.

46. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is pyrrolidine-1,2-diyl.

47. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is piperidine-1,2-diyl.

48. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is oxazolidine-3,4- or 3,5-diyl.

49. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is thiazolidine-3,4-diyl.

50. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is 2,5-dihydro-1*H*-pyrrole-1,5-diyl.


51. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is 1,3-dioxolane-4,5-diyl.


52. (Previously Presented): A compound according to claim 1, wherein

$\begin{pmatrix} \text{E} \\ \text{W} \end{pmatrix}$ is 1,3-oxazinane-3,4-diyl.


53. (Previously Presented): A compound according to claim 1, wherein



54. (Previously Presented): A compound according to claim 1, wherein



55. (Previously Presented): A compound according to claim 1, wherein



56. (Previously Presented): A compound according to claim 1, wherein D is phenyl which is monosubstituted or disubstituted by Hal.

57. (Previously Presented): A compound according to claim 1, wherein D is pyridyl which is monosubstituted or disubstituted by Hal.

58. (Previously Presented): A compound according to claim 1, wherein D is thienyl which is monosubstituted or disubstituted by Hal.

59. (Previously Presented): A compound according to claim 1, wherein G is $(\text{CH}_2)_n$.

60. (Previously Presented): A compound according to claim 1, wherein G is $(\text{CH}_2)_n\text{NH-}$.

61. (Cancelled):

62. (Cancelled);

63. (Cancelled);

64. (Cancelled);

65. (Cancelled);

66. (Cancelled);

67. (Cancelled);

68. (Cancelled);


69. (Cancelled);

70. (Previously Presented): A compound according to claim 1, wherein
R¹ is H, =O, COOA, OH, OA, NH₂, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N₃,
ethynyl, vinyl, allyloxy, methylcarbonyloxy, acetamino, or methylsulfonylamino;
R² is H, =O, OH, methoxy, or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms;
D is phenyl which is monosubstituted or disubstituted by Cl, pyridyl which is
monosubstituted or disubstituted by Cl, or thienyl which is monosubstituted or disubstituted
by Cl;

G is (CH₂)_n; and

n is 0.

71. (New): A compound of formula I



in which

R^1 is H, =O, COOR^3 , OH, OA, NH_2 , alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N_3 , ethynyl, vinyl, allyloxy, $-\text{OCOR}^3$, NHCOA or NHSO_2A ,

R^2 is H, =O, OH, OA or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms,

R^1 and R^2 together can also be a spirocyclically bonded 3- to 6-membered carbocyclic ring,

R^3 is H or A,



is pyrrolidine-1,2-diyl, piperidine-1,2-diyl, oxazolidine-3,4- or 3,5-diyl, thiazolidine-3,4-diyl, 2,5-dihydro-1*H*-pyrrole-1,5-diyl, 1,3-dioxolane-4,5-diyl, 1,3-oxazinane-3,4-diyl, piperazine-1,4-diyl, tetrahydrofuran-3,4-diyl or azetidine-1,2-diyl,

D is phenyl, pyridyl or thienyl, which in each case is monosubstituted or disubstituted by Hal,

G is $(\text{CH}_2)_n$ or $(\text{CH}_2)_n\text{NH}-$,

X is CONH,

Y is 1,3- or 1,4-phenylene which is unsubstituted or monosubstituted or disubstituted by methyl, trifluoromethyl, ethyl, propyl, Cl or F,

T is morpholin-4-yl which is monosubstituted or disubstituted by carbonyl oxygen,

A is unbranched or branched alkyl having 1-10 carbon atoms and in which 1-7 H atoms are each optionally replaced by F,

Hal is F, Cl, Br or I, and

n is 0, 1 or 2;

or a pharmaceutically usable salt thereof.